

TABLE 4 HAZARDOUS MATERIALS

8/22/2017

MARINE DRIVE DISTRIBUTION CENTER I

TENANT		BUILDING			DATE	
SOLOPOWER, INC.			400102		7/21/2017	
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
1	LOCATION	WAREHOUSE			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	ARGON	3	100.00 POUND(S)	Yes	No
	2	NEUTRAL SEALANT	1	5.00 GALLON(S)	No	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
2	LOCATION	SHIPPING & RECEIVING FLAMMABLE-RATED CABINET			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	ISOPROPYL ALCOHOL	7	1.00 GALLON(S)	Yes	No
	2	ACETONE	2	4.00 LITER(S)	Yes	No
	3	LIQUINOX DETERGENT	3	1.00 GALLON(S)	Yes	No
	4	TOOL OIL	1	1.00 PINT(S)	Yes	No
	5	MAKE UP INK	20	1.00 QUART(S)	Yes	No
	6	METHYL ETHYL KETONE	1	1.00 PINT(S)	Yes	No
	7	INLAND 77 VACUUM PUMP OIL	2	5.00 GALLON(S)	Yes	No
	8	ACETIC ACID	2	1.00 QUART(S)	Yes	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
3	LOCATION	EXTERIOR EMERGENCY POWER GENERATOR			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	DIESEL FUEL (AST)	1	275.00 GALLON(S)	Yes	No

NOTES:

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

TABLE 4 - Continued
HAZARDOUS MATERIALS

8/22/2017

MARINE DRIVE DISTRIBUTION CENTER I

TENANT		BUILDING			DATE		
SOLOPOWER, INC.				400102	7/21/2017		
	ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
	4	LOCATION	EXTERIOR			1	
		MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	LIQUID NITROGEN (AST)		1	6,000.00 GALLON(S)	Yes	No
	ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
	5	LOCATION	SHIPPING & RECEIVING FENCED AREA			1	
		MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	CITRAJET ACID DETERGENT		8	1.00 GALLON(S)	Yes	No
	ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
	6	LOCATION	SCREEN WASH ROOM			1	
		MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	EASI-SOLV SOLVENT CLEANER		1	55.00 GALLON(S)	No	No
	2	EASI-SOLV SOLVENT CLEANER		2	5.00 GALLON(S)	No	No
	ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
	7	LOCATION	SCREEN WASH ROOM FLAMMABLE-RATED CABINET			1	
		MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	AQ-PRESS WASH		1	55.00 GALLON(S)	Yes	No
	2	GLYCOL ETHER		1	55.00 GALLON(S)	Yes	No
	3	CLEANER		1	5.00 GALLON(S)	Yes	No
	4	ISOPROPYL ALCOHOL		1	1.00 GALLON(S)	Yes	No
	5	INK		5	4.00 KILOGRAM(S)	Yes	No
	6	EASI SOLV 140 SOLVENT CLEANER		1	5.00 GALLON(S)	Yes	No

NOTES:

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

TABLE 4 - Continued HAZARDOUS MATERIALS

8/22/2017

MARINE DRIVE DISTRIBUTION CENTER I

TENANT		BUILDING			DATE		
SOLOPOWER, INC.			400102		7/21/2017		
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE		
8	LOCATION	PLATING ROOM			1		
	MATERIAL #	MATERIAL NAME		QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	SODIUM HYDROXIDE		1	55.00 GALLON(S)	Yes	No
	2	SODIUM GALLATE		1	38.00 KILOGRAM(S)	Yes	No
	3	RECLAIMED INDIUM PLATING SOLUTION		4	275.00 GALLON(S)	Yes	No
	4	HYDROGEN PEROXIDE 35%		1	25.00 LITER(S)	Yes	No
	5	SELENIOS ACID-SODIUM SELENITE SOLUTION		2	1.00 OTHER	Yes	No
	6	178-SE SOAK POTASSIUM HYDROXIDE		20	5.00 GALLON(S)	Yes	No
	7	SULFURIC ACID		1	275.00 GALLON(S)	Yes	No
	8	INDIUM TRICHLORIDE		3	41.70 KILOGRAM(S)	Yes	No
	9	MURIATIC ACID		2	55.00 GALLON(S)	Yes	No
	10	GALLIUM PLATING		1	275.00 GALLON(S)	Yes	No
	11	TRICHLORIDE POTASSIUM SOLUTION		1	275.00 GALLON(S)	No	No
	12	SULFURIC ACID		4	275.00 GALLON(S)	No	No

NOTES:

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

**TABLE 4 - Continued
HAZARDOUS MATERIALS**

8/22/2017

MARINE DRIVE DISTRIBUTION CENTER I

TENANT		BUILDING		DATE		
SOLOPOWER, INC.		400102		7/21/2017		
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION		PRACTICE		
9	LOCATION	WASTEWATER NEUTRALIZATION ROOM		1		
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	COPPER SOLUTION NEUTRAL	1	330.00 GALLON(S)	Yes	No
	2	COPPER SULFATE	1	55.00 GALLON(S)	Yes	No
	3	HYDRAULIC OIL	1	55.00 GALLON(S)	Yes	No
	4	LIQUID CAUSTIC SODA	3	250.00 GALLON(S)	No	No
	5	SULFURIC ACID (AST)	1	400.00 GALLON(S)	Yes	No
	6	AMMONIA SOLUTION 28%	1	275.00 GALLON(S)	No	No
	7	COPPER SULFATE-SULFURIC ACID	1	275.00 GALLON(S)	Yes	No
	8	THIO-RED (POLYTHIOCARBONATE)	4	55.00 GALLON(S)	No	No
	9	SULFURIC ACID	3	55.00 GALLON(S)	No	No
	10	SODIUM GALLATE	4	5.00 GALLON(S)	No	No
11	CAUSTIC SODA	1	55.00 GALLON(S)	No	No	

NOTES:

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

TABLE 4 - Continued

HAZARDOUS MATERIALS

8/22/2017

MARINE DRIVE DISTRIBUTION CENTER I

TENANT		BUILDING			DATE	
SOLOPOWER, INC.			400102		7/21/2017	
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
10	LOCATION	WASTEWATER NEUTRALIZATION ROOM ACID-RATED CABINETS			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	CLEANERS (TOTAL)	1	20.00 GALLON(S)	Yes	No
	2	NITRIC ACID	1	1.00 GALLON(S)	Yes	No
	3	HYDROCHLORIC ACID	1	1.00 GALLON(S)	Yes	No
	4	BUFFERS (TOTAL)	1	20.00 GALLON(S)	Yes	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
11	LOCATION	CHILLER ROOM			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	MH-490 GLUTARALDEHYDE	1	5.00 GALLON(S)	No	No
	2	GRO PRO HYDRONIC WATER TREATMENT	2	5.00 GALLON(S)	No	No
	3	MH-1509 BROMINE SOLUTION	1	55.00 GALLON(S)	No	No
	4	AQUASEPT	2	5.00 GALLON(S)	Yes	No
	5	BIOTROL 409	1	55.00 GALLON(S)	No	No
	6	PERLITE	2	5.00 GALLON(S)	No	No
	7	PROTECT 514	3	5.00 GALLON(S)	No	No
	8	ROC 20 KBT	1	5.00 GALLON(S)	No	No
	9	TRASAR(R) TRAC 106	1	5.00 GALLON(S)	No	No
	10	AQUASEPT	5	5.00 GALLON(S)	No	No

NOTES:

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

**TABLE 4 - Continued
HAZARDOUS MATERIALS**

8/22/2017

MARINE DRIVE DISTRIBUTION CENTER I

TENANT			BUILDING			DATE		
SOLOPOWER, INC.			400102			7/21/2017		
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION				PRACTICE		
12	LOCATION	LAYER CONDITIONING TOOL				1		
	MATERIAL #	MATERIAL NAME		QUANTITY	CAPACITY		SEC/SPILL CON	LEAK/STAIN
	1	SELENIUM BEADS		4	1.50 GALLON(S)		Yes	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION				PRACTICE		
13	LOCATION	PRINTING AREA				1		
	MATERIAL #	MATERIAL NAME		QUANTITY	CAPACITY		SEC/SPILL CON	LEAK/STAIN
	1	INK		1	5.00 POUND(S)		Yes	No
	2	SILVER PASTE		1	1.00 POUND(S)		Yes	No
	3	THINNER		1	1.00 GALLON(S)		No	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION				PRACTICE		
14	LOCATION	CHILLER ROOM FLAMMABLE-RATED CABINET				1		
	MATERIAL #	MATERIAL NAME		QUANTITY	CAPACITY		SEC/SPILL CON	LEAK/STAIN
	1	SPRAY PAINT		4	16.00 OUNCE(S)		Yes	No
	2	GREASE		12	16.00 OUNCE(S)		Yes	No
	3	PAINT		10	1.00 GALLON(S)		Yes	No
	4	TURBINE OIL		1	5.00 GALLON(S)		Yes	No
	5	SEALANT		13	10.00 OUNCE(S)		Yes	No
	6	PAINT		1	5.00 GALLON(S)		Yes	No

NOTES:

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

**TABLE 4 - Continued
HAZARDOUS MATERIALS**

8/22/2017

MARINE DRIVE DISTRIBUTION CENTER I

TENANT		BUILDING			DATE	
SOLOPOWER, INC.			400102		7/21/2017	
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
15	LOCATION	FIRE PUMP ROOM			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	DIESEL (AST)	1	90.00 GALLON(S)	Yes	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
16	LOCATION	CADMIUM SULFATE DEPOSITION AREA			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	THIOUREA POWDER	10	63.00 POUND(S)	Yes	No
	2	CADMIUM SULFATE	8	15.00 KILOGRAM(S)	Yes	No
	3	AMMONIUM HYDROXIDE	4	275.00 GALLON(S)	Yes	No
	4	SULFURIC ACID	3	55.00 GALLON(S)	Yes	No
	5	HYDROCHLORIC ACID	1	200.00 LITER(S)	Yes	No
	6	CAUSTIC SODA	1	200.00 LITER(S)	Yes	No
	7	SULFURIC ACID	1	55.00 GALLON(S)	No	No
	8	SODIUM HYPOCHLORITE	1	55.00 GALLON(S)	Yes	No
	9	THIOUREA/NICAD SULFATE MIX	3	275.00 GALLON(S)	No	No

NOTES:

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

TABLE 4 - Continued HAZARDOUS MATERIALS

8/22/2017

MARINE DRIVE DISTRIBUTION CENTER I

TENANT		BUILDING			DATE	
SOLOPOWER, INC.			400102		7/21/2017	
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
17	LOCATION	CHEMICAL STORAGE FENCED AREA			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	SELENIUM BEADS	1	14.50 KILOGRAM(S)	Yes	No
	2	SILVER PASTE	20	1.00 KILOGRAM(S)	Yes	No
	3	SELENIUM SHOT	1	20.00 KILOGRAM(S)	No	No
	4	GALLIUM OXIDE	2	42.00 POUND(S)	No	No
	5	GALLIUM OXIDE	2	10.00 KILOGRAM(S)	No	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
18	LOCATION	COOLIO SHED			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	SEALANT	3	25.50 KILOGRAM(S)	No	No
	2	POLLANT MATERIAL	20	32.00 OUNCE(S)	No	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
19	LOCATION	COMPRESSOR ROOM			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	COMPRESSOR OIL	4	1.00 GALLON(S)	No	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
20	LOCATION	OUTSIDE WAREHOUSE CAGE STORAGE			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	BUFFER SOLUTIONS	20	55.00 GALLON(S)	No	No

NOTES:

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

TABLE 5
HAZARDOUS WASTES

8/22/2017

MARINE DRIVE DISTRIBUTION CENTER I

TENANT		BUILDING			DATE		
SOLOPOWER, INC.		400102			7/21/2017		
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE		
1	LOCATION	PLATING ROOM			1		
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	DISPOSAL METHOD	SEC/SPILL CON	LEAK/STAIN
	1	WASTE SELENIUM	1	55.00 GALLON(S)	OFF-SITE	Yes	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE		
2	LOCATION	SCREEN WASH ROOM			1		
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	DISPOSAL METHOD	SEC/SPILL CON	LEAK/STAIN
	1	MIXED SOLVENT WASTE	1	55.00 GALLON(S)	OFF-SITE	Yes	No
	2	FLAMMABLE DEBRIS	1	5.00 GALLON(S)	OFF-SITE	Yes	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE		
3	LOCATION	HAZARDOUS WASTE ACCUMULATION CAGE			1		
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	DISPOSAL METHOD	SEC/SPILL CON	LEAK/STAIN
	1	USED HEAT TRANSFER OIL	1	55.00 GALLON(S)	OFF-SITE	Yes	No
	2	SELENIUM WASTE	9	2.00 GALLON(S)	OFF-SITE	Yes	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE		
4	LOCATION	PLATING ROOM CORROSIVE-RATED CABINET			1		
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	DISPOSAL METHOD	SEC/SPILL CON	LEAK/STAIN
	1	SPENT INDIUM	1	1.00 GALLON(S)	OFF-SITE	Yes	No

NOTES:

PRACTICE refers to the overall condition and hazardous waste management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous wastes.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous waste container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

TABLE 5 - Continued
HAZARDOUS WASTES

8/22/2017

MARINE DRIVE DISTRIBUTION CENTER I

TENANT		BUILDING		DATE			
SOLOPOWER, INC.		400102		7/21/2017			
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION		PRACTICE			
5	LOCATION	WASTEWATER NEUTRALIZATION ROOM		1			
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	DISPOSAL METHOD	SEC/SPILL CON	LEAK/STAIN
	1	SELENIUM CONTAMINATED WASTEWATER	1	300.00 GALLON(S)	OFF-SITE	No	No
	2	LAB DEBRIS	1	5.00 GALLON(S)	OFF-SITE	Yes	No
	3	SELENIUM CONTAMINATED WASTEWATER	3	55.00 GALLON(S)	OFF-SITE	No	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION		PRACTICE			
6	LOCATION	PRINTING AREA		1			
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	DISPOSAL METHOD	SEC/SPILL CON	LEAK/STAIN
	1	SILVER DEBRIS	1	5.00 GALLON(S)	OFF-SITE	Yes	No

NOTES:

PRACTICE refers to the overall condition and hazardous waste management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous wastes.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous waste container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area